

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	508	veritas.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 08:44
S2	12	"714"/\$.cccls. and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 10:19
S3	551	"714"/\$.cccls. and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 10:20
S4	2213	"714"/4,13,23.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:55
S5	9007	"709"/223,224,239.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 10:21
S7	419	(S4 S5) and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 10:32
S8	3	((("6230246") or ("6493811") or ("6438642"))).PN.	USPAT	OR	OFF	2006/04/24 18:17
S9	164	(S4 S5) and failover and install\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 10:32

## EAST Search History

S10	107	failover same install\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:59
S11	0	failover same (install\$3 adj software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:23
S12	111	(failover backup secondary alternate) same (install\$3 with resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 11:23
S13	202	cluster same failover same application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 10:49
S14	1051	"714"/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 18:37
S15	81	failover with third	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 17:08
S16	31	((check\$3 verify\$3) adj3 failover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 17:32
S17	3	((check\$3 verify\$3) with failover with successful)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 17:33

## EAST Search History

S18	65	((fail\$3 adj over) failover) with successful)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 17:34
S19	0	("clustersamefailover").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 18:18
S20	156	cluster same failover	USPAT	OR	OFF	2006/04/24 18:26
S21	29	((fault problem) adj3 failover)	USPAT	OR	OFF	2006/04/24 18:27
S22	33	((fault problem) adj3 failover)	USPAT	OR	ON	2006/04/24 18:36
S23	51	plurality with failover	USPAT	OR	ON	2006/04/24 18:35
S24	412	((fault problem error) adj3 ((failover recovery) adj process))	USPAT	OR	ON	2006/04/24 18:37
S25	551	"714"/\$.ccls. and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 18:37
S26	444	((fault problem error) adj8 during adj7 (failover recovery))	USPAT	OR	ON	2006/04/24 18:46
S27	255	((fault problem error) adj4 during adj4 (failover recovery))	USPAT	OR	ON	2006/04/24 18:39
S28	43	"714"/\$.ccls. and ((fault problem error) adj4 during adj4 (failover recovery))	USPAT	OR	ON	2006/04/24 18:39
S29	18	((second third) adj2 failover)	USPAT	OR	ON	2006/04/25 13:55
S30	1106	714/4.ccls.	USPAT	OR	ON	2006/04/25 13:55
S31	145	S30 and (failover (fail\$3 adj over))	USPAT	OR	ON	2006/04/25 14:04
S32	72	S30 and (failover (fail\$3 adj over)) and cluster	USPAT	OR	ON	2006/04/25 15:15
S33	14	S30 and (failover (fail\$3 adj over)) and (check\$3 with (backup (back\$3 adj up) secondary alternate))	USPAT	OR	ON	2006/04/25 16:27
S34	908	(failover (fail\$3 adj over) with another)	USPAT	OR	ON	2006/04/25 15:28
S36	39	((failover (fail\$3 adj over)) with third)	USPAT	OR	ON	2006/04/25 16:21

## EAST Search History

S37	1	(check validat\$3 verif\$4) with (failover (fail\$3 adj over) recovery) with (backup secondary alternate) with (OK successful okay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:04
S38	178	(failover (fail\$3 adj over) recovery) same (backup secondary alternate) with (OK successful okay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:37
S39	291	714/4.ccls. and cluster	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:38
S40	46	714/4.ccls. and cluster and (plurality with (redundant backup secondary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:38
S41	48	714/4.ccls. and cluster and (plurality with (redundant backup secondary alternate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:45
S42	22	714/4.ccls. and cluster and (plurality adj4 (failover redundant backup secondary alternate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:55
S44	92	multiple adj4 failover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:55
S45	79	(check\$3 validat\$3 verif\$4) with (failover (fail\$3 adj over) recovery) with (OK successful okay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:05

## EAST Search History

S46	0	"714"/\$.ccls. with (failover (fail\$3 adj over)) with (successful)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:06
S47	27	"714"/\$.ccls. and (failover (fail\$3 adj over)) with (successful)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:20
S48	119	"714"/\$.ccls. and (new adj backup )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:20
S49	44	((failover (fail\$3 adj over)) with slave)	USPAT	OR	ON	2006/04/25 16:23
S50	37	((failover (fail\$3 adj over)) with successful)	USPAT	OR	ON	2006/04/25 16:27
S51	154	((failover (fail\$3 adj over)) with available)	USPAT	OR	ON	2006/04/25 16:26
S70	151	cluster same ((spare active) adj node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 09:49
S72	24	cluster same (passive adj node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:16
S73	19	cluster same failover same threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:51

## EAST Search History

S74	79	failover same threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:04
S75	203	714/4,47.ccls. and @pd>"20060424"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:07
S76	1162	(714/13,23.ccls. 709/223,224,239. ccls.) and @pd>"20060424"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:08
S77	9	S76 and ((spare active passive) adj node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:43
S78	0	S76 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:08
S79	12	("20030097422" "20030126242" "20 040268340" "6421777" "6754781" " 6799316").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 11:55
S80	0	S79 and (QOS threshold (performance adj level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 11:23

## EAST Search History

S81	935	failover and (QOS threshold (performance adj level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 12:03
S85	36	714/4,47.ccls. and S81	USPAT	OR	OFF	2006/10/16 11:53
S86	49	709/223,224,239.ccls. and S81	USPAT	OR	OFF	2006/10/16 11:53
S87	3	(continue with "no" with failover)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 11:56
S88	398	failover and degrad\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 12:03
S89	20	failover and (degrad\$3 adj mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 12:03
S90	4	failover same node same degrad\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 12:32
S91	3	("5754120"   "6003090"   "6084858").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/16 12:32
S92	56	("no" adj (spare backup secondary failover second)) same degrad\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 13:28

## EAST Search History

S93	0	((spare backup secondary failover second) with ("not" adj available)) same degrad\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 13:08
S94	511	((spare backup secondary failover second) with available) same degrad\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 13:08
S10 0	0	(degrad\$6 with node with "not" with available)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 13:12
S10 1	1058	(degrad\$6 adj mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 13:13
S10 2	170	"714"/\$.ccls. and (degrad\$6 adj mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 13:13
S10 5	5	"714"/\$.ccls. and ("no" adj (spare backup secondary failover second)) same degrad\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 13:32
S10 8	417	"714"/4,47.ccls. and (spare backup secondary alternate failover second) and degrad\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 13:34

## EAST Search History

S10 9	379	((spare active passive) adj node) and degrad\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:44
S11 4	8	((("6393585") or ("6557169") or ("6748553") or ("6640334") or ("6615365") or ("6397385") or ("5924102") or ("6591376")).PN.	USPAT	OR	OFF	2006/10/17 19:16
S11 5	1	"6526521".pn. and administrator	USPAT	OR	OFF	2006/10/16 16:00
S11 6	3	VERITAS adj Cluster adj Server	USPAT	OR	OFF	2006/10/16 16:18
S11 8	1	"09/893270"	USPAT	OR	OFF	2006/10/16 16:18
S12 1	2698	((failover spare backup secondary second) adj node) and degrad\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:53
S12 2	164	"714"/\$.ccls. and ((failover spare backup secondary second) adj node) and degrad\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:57
S12 3	166	"714"/\$.ccls. and ((failover spare backup secondary second) adj node) and (degrad\$6 (reduc\$3 adj level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:57
S12 5	75	"714"/\$.ccls. and ((failover spare backup secondary second) adj node) and ((reduc\$3 lower) adj level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:58

## EAST Search History

S12 6	33	"714"/\$.ccls. and ((failover spare backup secondary second) adj node) and (perform\$3 with (degrad\$6 ((reduc\$3 lower) adj level)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:59
S12 9	18	((failover spare backup secondary) adj node) and (perform\$3 with (degrad\$6 ((reduc\$3 lower) adj level)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:00
S13 2	37	((failover spare backup alternate secondary) with faulty) and (perform\$3 with (degrad\$6 ((reduc\$3 lower) adj level)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:16
S13 3	75	((failover spare backup alternate secondary) with (ineligible empty faulty)) and (perform\$3 with (degrad\$6 ((reduc\$3 lower) adj level)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 17:18
S13 5	24	((failover spare extra backup alternate secondary) adj5 (ineligible empty faulty)) and (perform\$3 with (degrad\$6 ((reduc\$3 lower) adj level)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:09
S13 6	42	software adj rejuvenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:10
S13 7	42	(software adj rejuvenation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:14

## EAST Search History

S13 9	1018	(mission adj critical) and backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 18:14
S14 1	3	(software adj rejuvenation) and lohn.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 09:04
S15 0	2	"6526521".pn. and cluster	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:11
S15 1	4316	plurality adj3 cluster	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:11
S15 3	33	(plurality adj cluster) and failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:20
S15 4	58	plurality with passive with nodes	USPAT	OR	OFF	2006/10/17 11:39
S16 2	4	cluster and S154	USPAT	OR	OFF	2006/10/17 12:17
S16 3	111	"714"/\$.ccls. and cluster same (passive spare)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:21

## EAST Search History

S16 4	14	"714"/\$.ccls. and cluster same ((passive spare) adj node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:23
S16 7	228	((passive spare) adj node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:27
S16 9	32	"714"/\$.ccls. and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:35
S17 2	231	((add\$3 join\$3) adj3 node with cluster) and (recovery fault failure failover)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 13:05
S17 7	130	cluster and ((spare passive) adj3 nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 13:17
S18 0	23	714/4.ccls. and cluster and ((spare passive (standby)) adj3 nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 14:23
S18 1	5	pool with ((spare passive (standby)) adj3 nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 13:21

## EAST Search History

S18 6	34	cluster and (resource adj pool) and (spare standby)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 14:51
S18 7	290	"714"/\$.ccls. and cluster and failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 14:52
S19 8	19	spare adj node and cluster	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:44
S20 1	15	(spare adj node) with processing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:50